

PINNACLE POINT OFFICIAL PLANT LIST



PINNACLE POINT
BEACH AND GOLF RESORT

VEGETATION PLANT LIST PINNACLE POINT.

fb=fynbos th=thicket sd=sand dune dt=dune thicket mb=mossel bay area ls= limestone
all=distributed in all areas

MONOCOTYLEDONS

Albuca	sd	geldbeursie; albuca; cooperi
Albuca	mb	wittamarak; albuca; maxima
Aloe arborescens	th/sd	kransaalwyn
Aloe ferox	mb	tapaallwyn; opregte-aalwyn;bitteraalwyn; umhlaba(Xhosa,Zulu);ikalene,khala (Xhosa)
Aleo maculata PP	th	bontaalwyn; spotted leafed aloe
Androcymbium capense	dt	patrysblom; patrysie; men-in-a-boat
Aristea africana	fb	maagbossie
Aristea pusilla	sd	blousuurkanol
Asparagus aethiopicus	th	katdoring;haakdoring
Asparagus rubicundus	th	katdoring;wild asparagus; wag-n-bietjie
(Asparagus asparagoides)?		bridal creeper
Babiana fourcadei	fb	bobbejaantjie
Bobartia aphylla		biesroei
Bobartia robusta (RARE)	fb	biesieblom
Bolboschoenus maritimus		alkali bulrush; snygras
Bonatea speciosa	dt	moederkappie; oktoberlelie; green wood-orchid;phantom orchid
Brunsvigia orientalis	sd	kandelaarblom
Bulbine frutescens PP	th	rankkopieva;cat's tail;geelkatstert; balsam;Intelezi(Xhosa)
Chasmanthe aethiopica	dt	suurkanolpypie
Cymbopogon plurinodes		terpentyn gras
Cynodon dactylon		kweek gras
Disa cornuta	fb	inkspot disa
Drimia elata	dt	jeukbol (eaten by Cape Grysbok) poison squill
Ehrharta brevifolia		naturalised weed
Ehrharta bulbosa		kleinpypgras; small pipe grass
Ehrharta calycina		
Ehrharta pusilla		
Elegia filacea	fb	restio
Elegia muirii (UNCOMMON) fb		restio
Elegia vaginulata	fb	dekriet
Epischoenus quadrangularis		N/I
Eragrostis capensis		

<i>Eragrostis curvula</i>		berg-soetgras; blousaadgras
<i>Eragrostis plana</i>		
<i>Eriospermum paradoxum</i>	fb	bobbejaan-ui
<i>Ferraria divaricata</i>	fb/th	spider lily; spinnekopblom
<i>Ficinia filiformis</i>	ls	ficinia
<i>Ficinia praemorsa</i>	ls	ficinia
<i>Ficinia ramocissima</i>	ls	ficinia
<i>Ficinia truncata</i>	ls	ficinia
<i>Freesia alba</i>	fb/ls	ruikpypie; freesia
<i>Freesia leichtlinii</i> (ENDANGERED)		duin freesia; dune freesia
<i>Geissorhiza heterophylla</i>		satinflower; syblom
<i>Gladiolus cunonius</i>	fb	lepelblom
<i>Gladiolus rogersii</i>	ls/fb	riversdale bell
<i>Haemanthus coccineus</i>	mb	april fool; blood flower; bergajuin
<i>Hypodiscus willdenowia?</i>	fb	
<i>Hypodiscus procurrens</i> (RED DATA) dt	all	
<i>Hypoxis setosa</i>		small yellow star; sterretjie;Inongwe(Xhosa)
<i>Ischyrolepis triflora</i>	fb	
<i>Lachenalia algoensis</i>	dt	viooltjie
<i>Mastersiella spathulata</i>	fb	
<i>Moraea tricuspidata</i>	fb	rietuintjie
<i>Moraea unguiculata</i>	fb	wituintjie
<i>Pentaschistis</i> sp.		
<i>Restio tricticeus</i>	fb	
<i>Romulea flava</i>	fb	froetang; knikkertjies
<i>Satyrium</i> sp.	dt	
<i>Spiloxene curculigoides</i>	fb	ewwa-trewwa sterretjie
<i>Sporbolum fimbriatus</i>		
<i>Sporobolus africanus</i>		vleigras
<i>Stenotaphrum secundatum</i>		buffels gras; strandkweek
<i>Tetraria bromoides</i>		bergpalmiet
<i>Tetraria capillacea</i>		bergpalmiet
<i>Tetraria cuspidata</i>		biesie;biesiegras
<i>Thamnochortus cinereas</i> velvety fb		besemriet
<i>Thamnochortus insignis</i>	fb	dekriet
<i>Thamnochortus muirii</i> (RARE) fb		besemriet
<i>Trachyandra affinis</i>		veldkool
<i>Trachyandra filiformis</i>	sd	veldkool
<i>Typha latifolia</i>		bulrush; matjiesgoed;papkuil
<i>Tulbaghia capensis</i>	mb	bruin wildeknoffel, wild garlic

DICOTYLEDONS

<i>Abutilon sonneratianum</i>	fb	wildemalva
-------------------------------	----	------------

<i>Acmaidenia densifolia</i> (Uncommon)ls			duinebuchu; steekbuchu
<i>Acmaidenia obtusata</i>	fb		duinebuchu; steekbuchu
<i>Acmaidenia heterophylla</i>	ls		pienk buchu
<i>Adromischus</i> sp. (<i>caryophyllaceus</i> ?)sd			nentabos
<i>Agathosma apiculata</i>	th/fb		knoffel buchu; sitrus buchu
<i>Agathosma capensis</i>	fb		buchu
<i>Agathosma cf. robusta</i> (ENDANGERD)			
<i>Agathosma murii</i> (Vulnerable)fb			buchu; boegoe
<i>Aizoon canariense</i>	all		skaapvygie
<i>Amphithalea</i> sp. (Maybe <i>A. violacea</i>) fb			
<i>Anisodontea scabrosa</i>	fb / th/ ls		bergroos
<i>Anthospermum aethiopicum</i> fb			
<i>Anthospermum galoides</i> fb			
<i>Arctotheca prostrata</i>	hd		gousblom
<i>Arctotis sulcocarpa</i>	sd		gousblom
<i>Artemisia afra</i>	all		
<i>Aspalathus alopecurus</i>	fb		cape gorse
<i>Aspalathus carassisepala</i>	fb		cape gorse
<i>Aspalathus cf. setacea</i>	fb		cape gorse
<i>Aspalathus densiflorus</i>	fb		cape gorse
<i>Aspalathus nigra</i>	ls		cape gorse
<i>Aspalathus quinquefolia</i>	fb		cape gorse
<i>Azima tetracantha</i>	th		spelledoring; needle bush
<i>Berkeya coriacea</i>	ls		disseldoring
<i>Buddleia saligna</i>	ms		witolienhout;false olive
<i>Capparis sepiaria</i>	th		caper-bush;kapperbos
<i>Carpobrotus edulis</i>	th		sour fig; suurvygie;perdevy;gaukum(khoi)
<i>Carpobrotus muijrii</i> (RARE)th			sour fig; suurvygie
<i>Carissa bispinosa</i>	th		num-num;noem-noem;amatangoela(Zulu)
<i>Cassine aethiopica</i> = <i>Mystroxylon aethiopicum</i> th			koeboebessie;kooboo-berry
<i>Cassine eucleiformis</i>	th		
<i>Cassine tetragona</i>	th		bobbejaantou;duinekokoboom; dunekoko tree
<i>Castalis nudicaulis</i>			
<i>Centella calcaria</i> (RED DATA/ RARE) ls			
<i>Cephalophyllum diversiphyllum</i>			
<i>Chironia baccifera</i>	th/fb		christmas berry; aambeibossie;bitterbos; tandpynbossie;twild gentian;toochache berry
<i>Chrysanthemoides incanasa</i>			grysbietaou
<i>Chrysanthemoides moniliferath/fb</i>			bietou;boetabessie;bokbessie;litholonja(Zulu)
<i>Chrysocoma ciliata</i>			bitter bush; bitterbos
<i>Chrysocoma tenuifolia</i>			bitter bush; bitterbos
<i>Cineraria geifolia</i>	sd		cineraria
<i>Cissampelos capensis</i>	th		dawidjiewortel
<i>Clausena anisata</i>	th		perdepis;horsewood
<i>Cliffortia falcata</i>	fb		cliffortia
<i>Cliffortia stricta</i>	fb		cliffortia
<i>Coleonema album</i>	ls		confetti- bos; buchu
<i>Colpoon compressum</i> = <i>Osyris compressa</i> th			cape sumach; pruimbas
<i>Commelinia africana</i>	th		yellow wandering Jew;wandelende jood; mouse ears;Indangabana(Zulu)
<i>Cotula zeyheri</i>	sd		buttons; knoppies

<i>Cotyledon orbiculata</i>	sd/th	kouterie;pig's ear;varksoor;imphewula(Xhosa)
<i>Crassula cf atropurpurea</i>	cliffs/th	
<i>Crassula decumbens</i>	sd/th	stonecrop
<i>Crassula ericoides</i>	sd/th	
<i>Crassula expansa</i>	sd/th	stonecrop
<i>Crassula rupestris</i>	sd/th	bergkraaltjies, inrygkraaltjies
<i>Crassula expansa</i> subsp. <i>Fragilis</i>	sd/th	stonecrop
<i>Crassula glomerata</i>		brakvygie
<i>Crassula orbicularis</i>	sd	klipblom
<i>Crassula perforata</i>		concertina plant,sosaties
<i>Crassula rubricaulis</i>	th/sd	stonecrop
<i>Crassula</i> sp.		
<i>Crassula subaphylla</i>		stonecrop
<i>Crassula tetragona</i>		karkai
<i>Cussonia thyrsiflora</i>	th	cabbage tree;kuskiepersol
<i>Cyphia heterophylla</i>	fb	baroe
<i>Cyphia volubilis</i>		baroe
<i>Cytinus sanguineus</i>		
<i>Cynanchum ellipticum</i>	dt	bokhorinkies
<i>Delosperma litorale</i>	cliffs/ls	
<i>Delosperma</i> sp.		kalkklipvygie
<i>Delosperma virens</i> (RED DATA)	ls	skaapvygie
<i>Desperago tortillifolia</i>		skaapvygie
<i>Diosma aristata</i> (Critically endangered)	fb	desperago
<i>Diospyros dichrophylla</i>	th	dune salad
<i>Disphyma crassifolium</i>	th/sd	
<i>Drosanthemum</i> cf. <i>lique</i>		jakkalstolbos
<i>Drosanthemum floribundum</i>	th/ls	disphyma
<i>Drosanthemum hispidum</i>	ls	douvygie
<i>Drosanthemum intermedium</i>		douvygie
<i>Drosanthemum lavisiae</i> (RARE)	ls	douvygie
<i>Drosanthemum murii</i>	ls	douvygie
<i>Drosanthemum striatum</i>	th/ls	douvygie
<i>Drosera cistiflora</i>		snotrosie
<i>Elytropappus rhinocerotis</i>	mb	
<i>Erica axillaris</i>		renosterbos;vlieebossie;anosterbos
<i>Erica cerinthoides</i>	fb	heide; heath
<i>Erica</i> cf. <i>anguliger</i>		rooihaartjies; fire heath
<i>Erica discolor</i>	fb/ls	heide
<i>Erica dispar</i> (VULNERABLE)fb		heide
<i>Erica lasciva</i>	fb	ker-ker, raasheide
<i>Erica peltata</i>	fb	baby heath
<i>Erica quadrangularis</i> (Unusual distribution)fb		heide
<i>Erica rhopalantha</i>		heide
<i>Erica speciosa</i>		heide
<i>Erica versicolor</i>	mb	heide
<i>Eriocephalus africanus</i>	sd	kapokbossie;wild rosemary
<i>Euchaetis albertiana</i>	fb	buchu
<i>Euchaetis burchellii</i>	fb	buchu
<i>Euclea racemosa</i>	dt	gwarriebos
<i>Euclea undulata</i>	th	gewone gwarrie;guarrie(Khoi);umgwali(Xhosa)

<i>Euphorbia burmanii</i>	dt	steenbokmelkbos;soetmelkbos
<i>Euphorbia mauritanica</i>	dt	karoo milkbush
<i>Euphorbia murii</i> (Rare or Endangerd)	dt	vingerpol
<i>Falkia repens</i>	dt/sd/all area's	falkia; oortjies
<i>Felicia amelloides</i> PP	sd	felicia; astertjie
<i>Gazania krebsiana</i> PP	sd	gazania; gousblom
<i>Gazania rigens</i> PP	sd	strandgazania
<i>Gerbera pilocelloides</i>	sd/lst	swarttee
<i>Gnidia fransisci</i>		
<i>Gnidia racemosa</i>		
<i>Gnidia setosa</i>		
<i>Gnidia squarrosa</i>	fb	
<i>Grewia occidentalis</i>	th	kruisbessie;cross-berry;assegai wood; Ikolo(Zulu);Umquma(Xhosa)
<i>Gymnosporia buxifolia</i>	th	gewone pendoring;common spike-thorn
<i>Hebenstreitia repens</i>		slugwort; slakblom
<i>Helichrysum crispum</i>	th/fb	strawflower;strooiblom
<i>Helichrysum pandurifolium</i>		kooigoed
<i>Helichrysum petiolare</i>	th/fb	strawflower;strooiblom;everlasting; imphepho(Xhosa,Zulu)
<i>Helichrysum retortum</i>		strawflower;strooiblom
<i>Helichrysum teretifolium</i>	all	strawflower;strooiblom
<i>Heliophila adpressa</i>		sunflax; sporrie
<i>Heliophila africana</i>		sunflax; sporrie
<i>Heliophila refracta</i>		sunflax; sporrie
<i>Hermannia flammula</i>	ls	granny bonnets; poprosie
<i>Hermannia holosericea</i>	ls	doll's rose; poprosie
<i>Hermannia hyssopifolia</i>	all areas	pokkiesblom, agtdaegeneesbossie
<i>Hermannia mucronulata</i>		doll's rose; poprosie
<i>Hermannia muirii</i>		doll's rose; poprosie
<i>Hermannia saccifera</i>	all areas	komynbossie
<i>Hermannia salviifolia</i>	fb	doll's rose; poprosie
<i>Hermannia trifoliata</i>	ls	tandebossie; poprosie
<i>Hermannia velutina</i>		
<i>Hypoestes aristata</i>	th/dt	
<i>Indigofera denudata</i>		indigo
<i>Indigofera heterophylla</i>		indigo
<i>Jordaniella dubia</i>	sd	strandvygie
<i>Knowltonia vesicatoria</i>		brandblare;blistering leaves;uxaphuza(Xhosa)
<i>Lachnaea</i> sp.		bergangelier; mountian carnation
<i>Lampranthus ceriseus</i> (RARE)		vygie
<i>Lampranthus diffusus</i>		vygie
<i>Lampranthus diutinus</i> (RARE)		vygie
<i>Lampranthus fergusoniae</i> (RARE)		vygie
<i>Lauridea tetragona</i>		

<i>Leucadendron salignum</i>	fb	geelbos; common sunshine cone bush
<i>Leucospermum praecox</i> (THREATENED)	fb	speldekussing; mossel bay pincushion
<i>Limonium scabrum</i>	sd	brakblommetjie; sea lavender
<i>Linum aethiopicum</i>	fb	flax
<i>Linum africanum</i> PP	mb	african flax
<i>Linum brevistylum</i>		flax
<i>Lobelia coronopifolia</i>	fb	wild lobelia
<i>Lobelia tomentosa</i>	fb	
<i>Lobostemon trigonus</i>	fb/ls	agtdaegeneesbos;douwurmbos;lobos;lubos kareebos
<i>Lycium cinereum</i>		
<i>Lyperia violacea</i>		
<i>Manochlamys albicans</i>		hondebossie
<i>Manulea cheiranthus</i>		vingertjies
<i>Maytenus procumbens</i>		duinekokoboom
<i>Maytenus undata</i>	th	kokoboom
<i>Metalasia acute</i>		blombos
<i>Metalasia brevifolia</i>		blombos
<i>Metalasia densa</i>	ls	blombos
<i>Metalasia erectifolia</i> (RARE)		blombos
<i>Metalasia muricata</i>	ls	blombos; witsteekbossie
<i>Metalasia pungens</i>	ls	blombos
<i>Metalasia pungens grey</i>	fb	blombos
<i>Monsonia emarginata</i>		geitabossie; dysentery herb
<i>Muraltia empleuridioides</i>		kroesbossie; purple gorse
<i>Muraltia minuta</i>		
<i>Muraltia satureoides</i>		kroesbossie; purple gorse
<i>Muraltia squarrosa</i>	ls	kroesbossie; purple gorse
<i>Myrsine africana</i>	fb/th	vlieebos; mirting; cape myrtle
<i>Mystroxylon aethiopicum</i> = <i>Cassine aethiopica</i>	dt/th	koeboebessie
<i>Nemesia barbata</i>		bloubekkie; kappie
<i>Nemesia versicolor</i>		leeubekkie; weeskindertjies
<i>Oedera imbricata</i>	ls	perdekaroo
<i>Olea exasperata</i>	dt	basteroliehout
<i>Osteospermum cf. elsiae</i>		
<i>Osteospermum fruiticosum</i> = <i>Dimorphotheca fruiticosa</i>		rankbietou
<i>Osteospermum polygaloides</i> fb		bietou; boneseed
<i>Osyris compressa</i> = <i>Colpoon compressum</i> th		pruimbos; cape sumach
<i>Othonna capensis</i>		bobbejaankool
<i>Othonna cf. heterophylla</i>		bobbejaankool
<i>Othonna cylindrica</i>	sd	bobbejaankool
<i>Othonna sp.</i>	sd	bobbejaankool
<i>Oxalis ciliaris</i>	all	suring
<i>Oxalis dilatata</i>	all	suring
<i>Oxalis obtusa</i>	all	geeloogsuring
<i>Passerina galpinii</i>	ls	gonna
<i>Passerina rigida</i>	sd/ls	gonnabas; seekoppiesganna
<i>Passerina vulgaris/corymbosa</i> sd		gonna
<i>Pelargonium betulinum</i>	fb	maagpynbossie; kanferblaar
<i>Pelargonium canariense</i>		malva

<i>Pelargonium capitatum</i>	th/fb/sd	kusmalva; rose scented
<i>Pelargonium fruticosum</i>	fb	
<i>Pelargonium hypoleucum</i>		malva
<i>Pelargonium multiradiatum</i>		malva
<i>Pelargonium peltatum</i>	th	kolsuring
<i>Pelargonium</i> sp.		malva
<i>Phylica axillaris</i>	ls	veertjie
<i>Phylica ericoides</i>		hardeblaar
<i>Phylica pinnea</i>		hardeblaar
<i>Phylica stipularis</i> = <i>Trichocephalus stipularis</i>	fb/ls	hondegesig; dogface
<i>Phyllopodium bracteatum</i>		opslag
<i>Phyllopodium capillare</i>		opslag
<i>Plantago cafra</i> (Unusual distribution)		
<i>Polygala ericifolia</i>	fb	septemberbos
<i>Polygala myrtifolia</i> PP	th	septemberbos;blou-ertjieblom
<i>Polygonaceae</i> sp.		kreosbossie
<i>Printzia polifolia</i>		
<i>Protea lanceolata</i> (THREATENED)	fb	smalblaarsuikerbos; lance-leaf sugarbush
<i>Protea repens</i>	fb	suikerbos; common sugarbush
<i>Pterocelastus tricuspidatus</i> th		kershout; cherrywood
<i>Putterlickia pyracantha</i>	th	basterpendoring
<i>Raphanus raphinistrum</i>		
<i>Relhania pungens</i>	fb	perdekaroo
<i>Rhoicissus digitata</i>	th/sd	bobbejaantou; monkey grape
<i>Rhus crenata</i>	th/sd	duinekraibessie
<i>Rhus gluaca</i>	th/sd	blou kuni-bush; bloukoenibos
<i>Rhus incisa</i>	ld	baardbessie
<i>Rhus laevigata</i> forma <i>cangoana</i> (RARE)	th	duinetaaibos; dune taaibos
<i>Rhus longispina</i>	th	doringtaaibos; thorny taaibos
<i>Rhus lucida</i>	th/sd	blinktaaibos
<i>Rhus pterota</i>	th/sd	doringtaaibos; thorny taaibos
<i>Rhus rosmarinifolius</i>	all	rosemary;taaibos
<i>Rhus tomentosa</i>	th	korentebos; wild current
<i>Rumex saggittatus</i>		rooisuring; ranksuring; climbing sorrel
<i>Ruschia cf cymbifolia</i>		
<i>Ruschia</i> cf. <i>macowanii</i>		vygie
<i>Ruschia</i> sp.		vygie
<i>Salvia africana</i> - lutea	sd/th	strandsalie;bruin salie;dunesage
<i>Sarcostemma viminale</i>	sd/th	spantou; melktou
<i>Scabiosa columbaria</i>	fb	bitterbos;wild scadious;koringblom; makgha(Xhosa);ibheka(Zulu)
<i>Schotia afra</i>	th	karoo boerboon
<i>Selago corymbosa</i>	ls/fb	bitterblombos
<i>Selago glomerata</i>	ls/fb	aarbossie
<i>Senecio elegans</i>		Veld cineraria
<i>Senecio arenarius</i>		hongerblom
<i>Senecio ilicifolius</i>		hongerblom
<i>Senecio lyratus</i>		ragwort
<i>Sideroxylon inerme</i> (PROTECTED)	th	white milkwood; melkhout
<i>Solanum hermanii</i>	th	bitterappel
<i>Solanum quadrangulare</i>	th	nightshade; bitterappel
<i>Stachys aethiopica</i>	th/ls	katbossie

<i>Stipagrostis</i> 3plume			
<i>Stoebe</i> plumosa	fb		slangbos
<i>Struthiola</i> argentea	fb		aandgonna; roemenaggie
<i>Struthiola</i> striata			katstertjie
<i>Sutera</i> campanulata=		Roemanaggie fb	stinkbossie
<i>Sutera</i> denudata	th/fb	Chaenostoma campanulata	stinkbossie
<i>Sutera</i> hispida	th/fb		stinkbossie
<i>Sutera</i> pedunculata	th/fb		bruinfluweeltjie
<i>Sutera</i> sp.			skunk bush; stinkbossie
<i>Sutera</i> james-brittania	th		
<i>Syncarpha</i> paniculata	ls		everlasting; sewejaartjie
<i>Tarchonanthus</i> camphoratus th			wilde kamfer
<i>Tephrosia</i> capensis			
<i>Tetragonia</i> fruticosa	sd		kinkelbossie
<i>Tetraria</i> sp.			
<i>Thesidium</i> fragile			
<i>Thesium</i> frisea			swartstorm
<i>Ursinia</i> anthemoides	sd		bergmagriet; marigold; magriet
<i>Ursinia</i> paleacea?			geelmagriet
<i>Ursinia</i> sp.	sd		parachute daisy; bergmagriet
<i>Viscum</i> capense	th/sd		lidjiestee;voelent;cape mistletoe
<i>Wahlenbergia</i> cf. <i>rigida</i>	fb		african bluebell; boeklokkie; muistepelkaroo
<i>Zaluziansky</i> capensis	sd		verfbloemmetjie
<i>Zygophyllum</i> flexuosum	ls		maerbos; spekbos
<i>Zygophyllum</i> morgsana	th		skilpadbossie

TREES: (Coastal Scrub/Thicket/Forest)

<i>Akocanthera</i> oppositifolia	-	Common Poison Bush
<i>Buddleja</i> saligna	-	False Olive; witolienhout
<i>Chrysanthemoides</i> monilifera	-	Bush- Tick Berry; bietou; boetabessie; bokbessie; itholonja(zulu)
 	-	Perdepis
<i>Clausena</i> anisata	-	Gewone suurbessie
<i>Dovyalis</i> rhamnoides	-	Seeghwarrie.
<i>Euclea</i> racemosa	-	Kruisbessie; cross - berry; assegai wood iklolo(zulu); umnaqabaza(xhosa)
<i>Grewia</i> occidentalis	-	Gewone pendoring;common spike-thorn
 	-	Olienhout;wilde olienhout;swartolienhout; Umquma(Xhosa)
<i>Gymnosporia</i> buxifolia	-	Dune Olive
<i>Olea</i> europaea subsp. <i>africana</i>	-	Cheesewood;kasuur; umkhwenkhwe(Xhosa,Zulu)
 	-	Candlewood
<i>Olea</i> exasperata	-	Karoobooerboon
<i>Pittosporum</i> viridiflorum	-	Milkwood(Protected)
 	-	Wild camphor bush;mathola(Xhosa); Amathola-
<i>Pterocelastris</i> tricuspidata	-	Zulu
<i>Schotia</i> afra var. <i>afra</i>	-	
<i>Sideroxylon</i> inerme	-	
<i>Tarchonanthus</i> camphorates	-	

Please Note:

All Landscaping/Rehabilitation of the gardens should make use of only locally indigenous plants of Mossel Bay. Plant species should therefore be restored in its' natural surroundings. Only Thicket species within the Thicket areas and Fynbos species (Limestone and Proteoid Fynbos) in their soil specific areas), in keeping with the natural ecosystems that occur on the site.

Plant species used for rehabilitation should only be propagated from seeds and cuttings made of plant material from this site.

All search and rescue plants obtained from building plots should be rehabilitated on their original site specific area.

This Plant list will be updated regularly since new species may be identified (or added) on site or surroundings.